



















How to give the right amount of ACETAMINOPHEN (also known as Tylenol) is different depending on which medicine you plan to give.

Dose: Give every 4 to 6 hours as needed for fever or pain. **DO NOT GIVE MORE THAN 4 DOSES IN 24 HOURS.** Do **NOT** use with any other medicine containing acetaminophen.



Weight →	36 to 47 pounds (16 to 21 kilograms)	48 to 59 pounds (22 to 26 kilograms)	60 to 71 pounds (27 to 32 kilograms)	72 to 95 pounds (33 to 43 kilograms)	96 pounds or more (44 kilograms or more)
Age →	4 to 5 years	6 to 8 years	9 to 10 years	11 years	12 years or older
Infant's Acetaminophen (160 mg / 5 mL)	_____	_____	_____	_____	_____
Children's Acetaminophen (160 mg / 5 mL)	7.5 mL 	10 mL 	12.5 mL 	15 mL 	10 mL + 10 mL = 20 mL 
Children's Acetaminophen Chewables (160 mg)	1 ½ tablets 	2 tablets 	2 ½ tablets 	3 tablets 	4 tablets 
Children's Acetaminophen Dissolvable Packets (160 mg / powder pack)	_____	2 packets 	2 packets 	3 packets 	_____
Adult's Acetaminophen Tablets (325 mg)	_____	1 tablet 	1 tablet 	1 ½ tablets 	2 tablets 
Adult's Acetaminophen Tablets (500 mg)	_____	_____	_____	1 tablet 	1 tablet 